

C5255 / C5250 / C5240 / C5235










The new **imageRUNNER ADVANCE C5200 series** improves on our top-range multifunctional devices. From a simple, intuitive interface to enhanced document capabilities, the updated series is even faster than before – all without compromising on quality. Add to that cloud capability and holistic document solutions and you can see why the imageRUNNER ADVANCE series gets its name.

And that's the way your business should be. Simply advanced.





# ADVANCED USABILITY AND CONVENIENCE

Meet the multifunctional device that is optimized for convenience and speed - your way.

#### INTUITIVE USER INTERFACE



You will notice the large, full-color 8.4" high resolution TFT screen that boasts wide viewing angles and exceptional clarity. The Main Menu gives you instant access to all your system functions, letting you configure the number and size of icons, and even the wallpaper on the menu screen. You can even tailor it to suit individual or workgroup preferences. Quick Menu allows you to accomplish more in less time by streamlining complex, frequently used settings and workflows to be saved and run at the touch of a single button.



#### MAINTAIN YOUR PRODUCTIVITY

The imageRUNNER ADVANCE C5200 series is designed to keep your business going. Our innovative toner system allows you to change out toners even during printing. The inbuilt paper sensor is also intelligent enough to detect paper sizes accurately, reducing paper jams and misfeeds.



The inbuilt onscreen tutorial helps you explore the full capabilities of the imageRUNNER ADVANCE C5200 series, and enables you to learn and use more advanced functions with ease.



The imageRUNNER ADVANCE C5200 series comes with a USB port that lets you scan to or print\* files directly from your USB drive or memory card at the device.

\* Optional accessories are required for print.



### **ADVANCED**

## **PRINTQUALITY**

Quality prints that truly shine.



#### HIGH RESOLUTION BRILLIANT PRINTOUTS



Combine the E-drum imagePRESS technology with a 1200x1200 dpi printing resolution, you get highly defined printouts, image consistency and high speed printing. Matched with the pQ Toner and an intelligent controller, the imageRUNNER ADVANCE C5200 series truly brings you the crispest, most vibrant color printouts.

#### ADVANCED imageCHIP SYSTEM ARCHITECTURE

Canon's dual processor system meets the rigorous demands of today's businesses. The image processor board works with the scanner, adjusts images and provides superior image processing. In tandem, the information processor controls the user interface and coordinates device networking and connectivity. Together, they give you better results with lesser wait.





#### FIERY PRINT CONTROLLERS

For an exceptionally high level of productivity and advanced color management workflow control, get the powerful Fiery print controller options – imagePASS-B2 and ColorPASS-GX400\*. Both controllers are Variable Data Printing (VDP) ready and support a variety of VDP languages.

\* Only for iR-ADV C5255.





#### **GENUINE ADOBE POSTSCRIPT 3**

The imageRUNNER ADVANCED C5200 series supports Genuine Adobe PostScript 3 printing capability. This enables you to deliver the desired printout quality without worries of font incompatibility. Work seamlessly with Postscript workflow and achieve faster, higher quality printouts – not just emulations. Direct PDF printing and full support of Adobe fonts also translates to improved office productivity.



Advanced technology becomes simple with the Canon imageRUNNER ADVANCE. Simply add the modular units you need to further extend the functions of your device.

#### 4-LINE FAX


Add on Super G3 fax functionality for high-speed fax transactions. The 4-line fax feature is capable of handling large volumes of fax documents, while ensuring lesser busy signals and greater connectivity. You can also save cost and space by installing the optional Remote Fax Kit that lets you fax through other fax-capable imageRUNNER ADVANCE devices in the network, even if the one you are using does not have a fax-board installed.

#### HIGH SPEED SCANNING

Canon's revolutionary Duplex Color Image Reader features a proprietary image sensor that allows you to create 100 to 150 crystal-clear reproductions of black & white and color documents each time you press the button.

#### PROFESSIONAL LOOKING DOCUMENTS

Impress your business associates and colleagues alike with professional-grade documents. Select the settings you want, ranging from automatic stapling, punching, collation and even booklet creation function. For a compact footprint, internal stapling and collating units are also available as options.



Remote Fax Kit installed device

Fax-enabled device



## ADVANCED WORKFLOW

The Canon imageRUNNER ADVANCE series is designed to streamline workflow and meet each user's needs. You can easily send, save, store, and access scanned documents in multiple locations. Simply select a destination and scan the original. With the imageRUNNER ADVANCE series, you will find the most advanced, yet simple workflow.

#### **SCAN AND SEND**

In one simple operation, you can distribute scanned documents to multiple destinations, such as email, fax destinations and network folders. The wide range of formats\* includes standard High Compression PDF, Adobe PDF Reader Extensions, Searchable PDF, Encrypted PDF, XPS, and even the latest Office Open XML for Word and PowerPoint.



\* Installation of optional accessories may be required.

#### STORE AND ACCESS


The imageRUNNER ADVANCE comes with a document sharing solution simply makes sense. Using the Advanced Box, multiple users can share any file format on a share folder and access files from PCs or other networked imageRUNNER ADVANCE systems. For more sensitive documents, you can use Personal Folders. The Mailbox feature also lets you access the stored documents from the device or remote user interface, with up to 100 user accounts.



#### **CANON CLOUD CONNECT**

Canon imageRUNNER ADVANCE series maximizes office productivity by allowing users to access Cloud services right from the devices. Users can scan and store their paper documents, or choose to retrieve and print their documents stored in their Cloud service. With the Cloud Scan and Cloud Print support of Google Docs and Microsoft SharePoint Online, imageRUNNER ADVANCE systems are the perfect way to scan and print through Cloud services.

\* Internet connection and upgrades may be required to support Cloud services, and Cloud services may vary by country or region. For more information, please contact your local Canon Sales Office.





# ADVANCED MANAGEMENT AND SECURITY

Be in control, wherever you are. The imageRUNNER ADVANCE makes it easy to monitor and optimize your company's output.



#### **CENTRALIZED REMOTE CONTROL**

The Remote User Interface lets IT managers and system administrators control, track, and manage each output device without having to travel to each and every machine for status checks.

#### **eMAINTENANCE**

Take control of your Canon device fleet and reduce administration burdens with eMaintenance\*. With less downtime and easy maintenance, you will have longer uptime and greater productivity.


\* Compatible with most Canon copiers, printers and multifunctional devices. For more information on what models are supported, please contact Canon.

#### **ACCESS MANAGEMENT SYSTEM KIT**

By utilizing the Access Management System Kit, administrators can restrict the functions that each individual, workgroup or department is allowed to use. Together with the contactless Card Authentication unit to identify the actual user, you will enjoy higher levels of security and reduced wastage from unauthorized prints.


### ADVANCED SOLUTIONS

To achieve even more with the imageRUNNER ADVANCE system, select the document solution that best meets your organizational needs.



#### **THEREFORE**

Therefore is a holistic document management system that offers an easy-to-implement storage and retrieval system to give every staff instant, secure access to all information.



#### **eCOPY PDF PRO OFFICE**

eCopy® PDF Pro Office, the latest enterprise-ready PDF solution from Nuance, is the smarter PDF desktop software companion to Canon MFDs. This powerful, easy-to-use PDF solution that lets you create, convert, and collaborate for increased productivity and cost savings.


# Share Scan Flack your document to honder and sound have Flack your document to honder Flack your document to honder

#### **eCOPY SHARESCAN SUITE**

eCopy® ShareScan Suite transforms paper-based data safely and directly into electronic workflows. From the imageRUNNER ADVANCE device, you can scan, extract, classify, index and convert paper information into digital information that flows effortlessly into and through the electronic channels of your business.

#### **IW SECURE AUDIT MANAGER EXPRESS**

This software enables document distribution oversight and safeguards against potential information espionage or abuse by logging text and image data whenever users utilize the device.



- On-device imageRUNNER Agent captures log and image data
- Info is sent to Express server for OCR; image and text exported
- Express Audit Tools allows compilation and extraction of key info




#### **IW ACCOUNTING MANAGER FOR MEAP**

Track your organization's print consumption through detailed and vital information of how your devices are actually used, all without the need for additional manpower or equipment.



#### uniFLOW

uniFLOW is designed to save you time and money by providing effective controls over your entire print and multi-functional device fleet. The uniFLOW solution can be built from several different components depending on your needs.



Green technologies makes up the imageRUNNER ADVANCE. Our pQ toner lowers energy consumption by minimizing heat and power requirements. Our RAPID fusing technology saves 75% more power usage than previous models. The list goes on.

imageRUNNER ADVANCE uses 100% recycled plastic from past products. In addition, we subject ourselves to the most stringent standards, restricting the use of 24 hazardous substances (where EU RoHS directives restrict only six).

Changing our behavior to change our environment. By encouraging digital previews, we reduce unnecessary prints and reduce mistakes. Administrators can also help encourage use of duplex settings and control color usage easily.

Higher efficiency means lower emissions. By optimizing the document life cycle, we have lowered CO2 emissions by more than 30% over previous models.



Witness the significant improvement in your business communication capabilities. Move your business forward with the new imageRUNNER ADVANCE C5200 series today.

To arrange for a demonstration, simply contact any of our sales staff in the relevant contact overleaf.

	Reader-Printer Sepa	arated Deskton	
Type Maximum Original Size	A3	arated, Desktop	
Copy Sizes	Cassette	305 x 457mm, A3, A4, A4R, A5R, B4, B5, B5R	
Copy Sizes	Casselle	Custom Size 139.7 x 182mm to 304.8 x 457.2mm	
		Optional Envelope Feeder, No.10 (COM10).	
		Monarch, DL, ISO-C5	
	Stack Bypass	A5R - SRA3 (320 x 450mm), Envelopes	
	- Carrier - J. Paris	Custom Size 99 x 140mm to 320 x 457mm	
Resolution	Reading	600dpi x 600dpi	
	Copying	600dpi x 600dpi	
	Printing	1200dpi x 1200dpi (text/line only)	
Copy/Print Speed	A4 (B&W/Color)	C5255: 55/51ppm	
соругтингэрсси	A3 (B&W/Color)	C5250: 50/45ppm	
		C5240: 40/35ppm	
		C5235: 35/30ppm	
		C5255: 28/26ppm	
		C5250: 28/26ppm	
		C5240: 20/18ppm	
M	7	C5235: 20/18ppm	
Magnification	Zoom	25-400%	
First Copy Time	Black-and-White	3.9sec (C5255/C5250), 5.4sec (C5240/C5235)	
	Full Color	6.0sec (C5255/C5250), 8.1sec (C5240/C5235)	
Warm-Up Time	31 seconds		
Multiple Copies/Prints	1 to 999 sheets		
Duplexing	Standard automatic		
Paper Weight	Cassette	52 to 220gsm	
	Stack Bypass	52 to 256gsm	
Paper Capacity	Standard	550 sheets x2 cassettes (80gsm)	
		Stack Bypass: 100 sheets (80gsm)	
	Optional	550 sheets x2 cassettes (80gsm)	
	Paper Deck	2,700 sheets (80gsm)	
	Total Capacity	5,000 sheets	
CPU	1.2GHz	5,000 311003	
Memory		1 Maximum: 2.5GB RAM	
Hard Disk Drive		wailable Disk Space: 15GB)	
maid DISK DIIVE		ailable Disk Space: 629.2GB)	
Interface Ethernet	(1000BaseT/100B		
Wireless LAN	(IEEE802.11b/g, O	ptional), USB2.U	
Power Supply	220-240V AC, 50/60Hz		
Power Consumption	1.8kW max (C5255/C5250), 1.3kW max (C5240/C5235)		
Dimensions (W x D x H)	Only the Main Unit: 620mm x 700mm x 800mm		
	With the Duplex Color Image Reader Unit-E1: 620mm x 715mm x 950mm		
	With the Color Image Reader Unit-F1: 620mm x 712mm x 931mm		
	With the Color Image Reader Unit-F2: 620mm x 700mm x 831mm		
Weight	Only the Main Unit: Approximately 139kg		
	With the Duplex Color Image Reader Unit-E1: Approximately 153kg		
	With the Color Image Reader Unit-F1: Approximately 148kg		
	With the Color Ima	ge Reader Unit-F2: Approximately 144kg	
Print Specification			
PDL	UFRII (Standard), P	CL 5c/6 (Optional), Adobe PostScript 3 (Optional)	
Resolution		i (Text/Line only), 600dpi x 600dpi	
Memory	2GB (Uses Main Ur		
Hard Disk		wailable Disk Space: 15GB)	
		ailable Disk Space: 629GB)	
		cessor, 1.2GHz (Uses Main Unit CPU)	
CPU	PCL	Windows 2000/XP/Server2003/Vista/Server2008/Win7	
	Adobe PostScript 3	Windows 2000/XP/Server2003/Vista/Server2008/Win7	
Supported OS	Adobe PostScript 3	Windows 2000/XP/Server2003/Vista/Server2008/Win7 MacOSX (10.4.9 or later)	
Supported OS	Adobe PostScript 3 Windows 2000/XF	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7/Linux,	
Supported OS UFR II	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7/Linux, r later)	
Supported OS  UFR II  Mac-PPD	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later,	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7/Linux, r later) Mac OSX (10.2.8 or later)	
Supported OS  UFR II  Mac-PPD	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7/Linux, r later) @-T/100Base-TX/10Base-T)	
Supported OS  UFR II  Mac-PPD  Interface	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4,9 or later) //Server2003/Vista/Server2008/Win7/Linux, rlater) //Mac OSX (10.2.8 or later)	
Supported OS UFR II Mac-PPD Interface	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9*	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7/Linux, rlater) Mac OSX (10.2.8 or later) e-T7/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0 100/WSD/IPP/IPPS/SMB/FTP), IPv6,	
Supported OS  UFR II  Mac-PPD  Interface  Network Protocol	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9" IPX/SPX (NDS, Bind	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7/Linux, r later) //Mac OSX (10.2.8 or later) e-T/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0 100/WSD/IPP/IPPS/SMB/FTP), IPv6, leny), AppleTalk	
Supported OS  UFR II  Mac-PPD  Interface  Network Protocol	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9- IPX/SPX (NDS, Binc) Network TWAIN Dri	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4.9 or later) YServer2003/Vista/Server2008/Win7/Linux, rlater) Mac OSX (10.2.8 or later) e-1/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0 100/WSD/IPP/IPPS/SMB/FTP), IPv6, dery), AppleTalk ver	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethermet (1000Bas) Wireless LAN (IEEE TCP/IP (LPD/Port9* IPX/SPX (NDS, Bins, Network TWAIN Dri (75 to 600dpi 24b)	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later) //Server(2003/Vista/Server2008/Win7/Linux, r later) //Mac OSX (10.2.8 or later) e-T/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0 100/WSD/IPP/IPPS/SMB/FTP), IPv6, lery), AppleTalk	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (Si	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9¹ IPX/SPX (NDS, Binc Network TWAIN Dri (75 to 600dpi 24bi andard)	Windows 2000/XP/Server2003/Vista/Server2008/Win7/Mac05X (10.4.9 or later)  Yscewc2003/Vista/Server2008/Win7/Linux, r later)  Mac OSX (10.2.8 or later)  e-7/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0  100/WSD/IPP/IPPS/SMB/FTP), IPv6, lety), AppleTalk wer t Color/8bit Grayscale/2bit Black & White)	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (Si	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or late; Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9*) IPX/SPX (NDS, Binc Network TWAIN Dri (75 to 600dpi 24bi andard) 100 x 100dpi, 150	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later) YSerwer2003/Vista/Server2008/Win7/Linux, r later) Mac OSX (10.2.8 or later) Mac OSX (10.2.8 or later) 802.11b/g, Optional), USB2.0 100/WSD/IPP/IPPS/SMB/FTP), IPv6, jety), AppleTalk ver t Color/8bit Grayscale/2bit Black & White) x 150dpi, 200 x 100dpi, 200 x 200dpi,	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (St Scan Resolution	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCPI/P (LPD/Port9*) IPX/SPX (NDS, Binc Network TWAIN Dri (75 to 600dpi 24bi andard) 100 x 100dpi, 150 200 x 400dpi, 300	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later) //Server2003/Vista/Server2008/Win7/Linux, r later) //Mac OSX (10.2.8 or later) e-T/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0 100/WSD/IPP/IPPS/SMB/FTP), IPv6, dery), AppleTalk ver t Color/8bit Grayscale/2bit Black & White) x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (Si Scan Resolution  Destinations	Adobe PostScript 3 Windows 2000/XP Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9* IPX/SPX (NDS, Bin Network TWAIN Dri (75 to 600dpi 24bi andard) 100 x 100dpi, 150 200 x 400dpi, 300 E-Mail/Internet FAX	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later)  "Scewer2003/Vista/Server2008/Win7/Linux, r later)  Mac OSX (10.2.8 or later)  "Er/1700Base-TX/10Base-T) 802.11b/g, Optional), USB2.0  100/WSD/IPP/IPPS/SMB/FTP), IPv6, levy), AppleTalk wer t Color/8bit Grayscale/2bit Black & White)  x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi (SMTP), PC (SMB, FTP), IWDM, WebDAV	
CPU Supported OS  UFR II Mac-PPD Interface Network Protocol Pull Scan Send Specification (St Scan Resolution Destinations Address Book	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or late; Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9") IPV/SPX (NDS, Bin Network TWAIN Dri (75 to 600dpi 24bi aandard) 100 x 100dpi, 150 200 x 400dpi, 300 E-Mail/Internet FAX LDAP, Local (Max.1	Windows 2000/XP/Server2003/Vista/Server2008/Win7, MacOSX (10.4.9 or later) Yscewer2003/Vista/Server2008/Win7/Linux, r later) Mac OSX (10.2.8 or later) Mac OSX (10.2.8 or later) 802.11b/g, Optional), USB2.0 100/WSD/IPP/IPPS/SMB/FTP), IPv6, 1etry), AppleTalk 1ver 1t Color/8bit Grayscale/2bit Black & White)  x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi (SMTP), PC (SMB, FTP), iWDM, WebDAV 800)	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (Si Scan Resolution  Destinations  Address Book	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCPI/P (LPD/Port9') IPX/SPX (NDS, Binc Network TWAIN Dri (75 to 600dpi 24bi andard) 100 x 100dpi, 150 200 x 400dpi, 300 E-Mail/Internet FAX LDAP, Local (Max.1 TIFF, JPEG, PDF, XPS	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later)  'Server2003/Vista/Server2008/Win7/Linux, r later)  Mac OSX (10.2.8 or later)  e-T/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0  100/WSD/IPP/IPPS/SMB/FTP), IPv6, 1etry), AppleTalk  ver t Color/8bit Grayscale/2bit Black & White)  x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi (SMTP), PC (SMB, FTP), iWDM, WebDAV  8000) b, High compression PDF/XPS, PDF/A-1b,	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (St Scan Resolution  Destinations Address Book File Format	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or late; Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9") IPV/SPX (NDS, Bin Network TWAIN Dri (75 to 600dpi 24bi aandard) 100 x 100dpi, 150 200 x 400dpi, 300 E-Mail/Internet FAX LDAP, Local (Max.1	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later)  'Server2003/Vista/Server2008/Win7/Linux, r later)  Mac OSX (10.2.8 or later)  e-T/100Base-TX/10Base-T) 802.11b/g, Optional), USB2.0  100/WSD/IPP/IPPS/SMB/FTP), IPv6, 1etry), AppleTalk  ver t Color/8bit Grayscale/2bit Black & White)  x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi (SMTP), PC (SMB, FTP), iWDM, WebDAV  8000) b, High compression PDF/XPS, PDF/A-1b,	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (St Scan Resolution  Destinations  Address Book File Format  Optional Accessories	Adobe PostScript 3 Windows 2000/XP Mac OS 2000/XP Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/Port9*) IPX/SPX (NDS, Binn Network TWAIN Dr (75 to 600dpi 24b) andard) 100 x 100dpi, 150 200 x 400dpi, 300 E-Mail/Internet FAX LDAP, Local (Max.1 TIFF, IPEG, PDF, XPS Optimize PDF for W	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later)  VScewer2003/Vista/Server2008/Win7/Linux, r later)  Mac OSX (10.2.8 or later)  e-T/100Base-TX/10Base-T)  802.11b/g, Optional), USB2.0  100/WSD/IPPP/IPPS/SMB/FTP), IPv6, Jety), AppleTalk  ver  t Color/8bit Grayscale/2bit Black & White)  x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi  (SMTP), PC (SMB, FTP), IWDM, WebDAV  800)  i, High compression PDF/XPS, PDF/A-1b, leb	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (St Scan Resolution  Destinations Address Book File Format  Optional Accessories  Universal Send Advar	Adobe PostScript 3 Windows 2000/XF Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCPI/P (LPD/Port9: IPX/SPX (NDS, Binc Network TWAIN Dri (75 to 600dpi 24bi andard) 100 x 100dpi, 150 200 x 400dpi, 300 E-Mail/Internet FAX LDAP, Local (Max.1 TIFF, JPEG, PDF, XPS Optimize PDF for W cced Feature Set-I	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later)  'Scewer2003/Vista/Server2008/Win7/Linux, r later)  Mac OSX (10.2.8 or later)  e-T/100Base-TX/10Base-T)  802.11b/g, Optional), USB2.0  100/WSD/IPP/IPPS/SMB/FTP), IPv6, 1etry), AppleTalk  ver  t Color/8bit Grayscale/2bit Black & White)  x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi (SMTP), PC (SMB, FTP), iWDM, WebDAV  8000)  8000)  b, High compression PDF/XPS, PDF/A-1b, feb	
Supported OS  UFR II  Mac-PPD Interface  Network Protocol  Pull Scan  Send Specification (Si Scan Resolution  Destinations	Adobe PostScript 3 Windows 2000/XP Mac OSX (10.4.9 o Mac OS 9.1 or later, Ethernet (1000Bas Wireless LAN (IEEE TCP/IP (LPD/PORT9* IPX/SPX (NDS, Bin Network TWAIN D7 (75 to 600dpi 24bi andard) 100 x 100dpi, 150 200 x 400dpi, 300 E-Mail/Internet FAX LDAP, Local (Max.1. TIFF, IPEG, PDF, XPO Optimize PDF for W ord Feature Set- Outline PDF (Trace	Windows 2000/XP/Server2003/Vista/Server2008/Win7/ MacOSX (10.4.9 or later)  VScewer2003/Vista/Server2008/Win7/Linux, r later)  Mac OSX (10.2.8 or later)  e-T/100Base-TX/10Base-T)  802.11b/g, Optional), USB2.0  100/WSD/IPPP/IPPS/SMB/FTP), IPv6, Jety), AppleTalk  ver  t Color/8bit Grayscale/2bit Black & White)  x 150dpi, 200 x 100dpi, 200 x 200dpi, x 300dpi, 400 x 400dpi, 600 x 600dpi  (SMTP), PC (SMB, FTP), IWDM, WebDAV  800)  i, High compression PDF/XPS, PDF/A-1b, leb	

Encrypted PDF, Device Signature PDF/XPS

Optional Image Read	iers		
Duplex Color Image I	Reader Unit-E1 (1PDS)		
Paper Size	A3, B4, A4, A4R, B5, B5R, A5, A5		
Paper Weight	Single sided original	42 to 157gsm	
	Double sided original	50 to 157gsm	
Original Tray Capacity	150 sheets (80gsm)		
Document Scanning	Copying	1-sided scanning: 75 sheets/minute	
Speed		(A4 in Black-and-White at 600dpi)	
		2-sided scanning: 37.5 sheets/minute	
		(A4 in Black-and-White at 600dpi)	
		1-sided scanning: 51 sheets/minute	
		(A4 in Full Color at 600dpi)	
		2-sided scanning: 25.5 sheets/minute	
		(A4 in Full Color at 600dpi)	
	Scanning	1-sided scanning: 75 sheets/minute	
		(A4 in Black-and-White/Full Color at 300dpi)	
		2-sided scanning: 60 sheets/minute (A4 in Black-and-White/Full Color at 300dpi)	
		(A4 in Black-and-White/Full Color at 300dpi)	
Dimensions (H x W x D)			
Weight	Approx. 14.1kg (feeder and reade		
Color Image Reader I	Unit-F1 (2-sided Double pass A	ADF)	
Paper Size	A3, B4, A4, A4R, B5, B5R, A5, A5	SR, and B6	
Paper Weight	Single sided original	42 to 157gsm	
	Double sided original	50 to 157gsm	
Max. Number of	100 sheets (80qsm)		
Originals			
Document Scanning	Copying	1-sided scanning: 46 sheets/minute	
Speed	9	(A4 in Black-and-White/Full Color at 600dpi)	
	Scanning		
	Jeanning	1-sided scanning: 51 sheets/minute (A4 in Black-and-White/Full Color at 300dpi)	
Dimensions (W x D x H)	565mm x 540mm x 137mm (feeder and reader)		
Weight			
Cassette Feeding Uni	Approx. 7.5kg (feeder and reader)		
	2 Front-loading adjustable drawe		
Туре			
Paper Size	305mm x 45/mm, A3, B4, A4, A	A4R, B5, B5R, A5R, and Custom size	
	(139.7mm x 182mm to 304.8m		
Paper Capacity	550 sheets (80gsm) x 2 cassettes		
Dimensions (W x D x H)	620mm x 700mm x 251mm		
Weight Approx.	28 kg		
Paper Deck Unit-B2			
Paper Size	A4		
Paper Capacity	2,700 sheets (80gsm)		
Dimensions (W x D x H)	372mm x 603mm x 473mm		
Weight Approx.	37kg		
Inner Finisher-E1			
Number of Trays	One stack tray (Optional 2 <sup>nd</sup> Tray)		
Tray Capacity	A4, A5, A5R	500 sheets	
пау сараску			
Canada Danielan	A3, A4R	500 sheets	
Staple Position	A3, A4R Corner, Double	500 sheets	
Staple Position Staple Capacity	A3, A4R Corner, Double A4	500 sheets 50 sheets	
Staple Capacity	A3, A4R Corner, Double A4 A3	500 sheets	
Staple Capacity  Dimensions (W x D x H)	A3, A4R Comer, Double A4 A3 865mm x 540mm x 234mm	500 sheets 50 sheets 30 sheets	
Staple Capacity  Dimensions (W x D x H)  Weight	A3, A4R Corner, Double A4 A3	500 sheets 50 sheets 30 sheets	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1	A3, A4R Comer, Double A4 A3 865mm x 540mm x 234mm	500 sheets 50 sheets 30 sheets	
Staple Capacity  Dimensions (W x D x H)  Weight	A3, A4R Comer, Double A4 A3 865mm x 540mm x 234mm	500 sheets 50 sheets 30 sheets	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit	500 sheets 50 sheets 30 sheets	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays	A3, A4R Comer, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit  2 Trays A4, A5, A5R	500 sheets 50 sheets 30 sheets th optional tray)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit 2 Trays A4, A5, A5R A3, A4R	500 sheets 50 sheets 30 sheets th optional tray)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wite 2 Trays A4, A5, A5R A3, A4R Corner, Double	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit  2 Trays A4, A5, A5R A3, A4R Corner, Double A4	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit) 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R	500 sheets 50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray	
Staple Capacity  Dimensions (W x D x H) Weight  Staple Finisher-J1 Number of Trays Tray Capacity  Staple Position Staple Capacity  Dimensions (W x D x H)	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit) 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit) 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)	
Staple Capacity  Dimensions (Wx Dx H) Weight  Staple Finisher-J1 Number of Trays Tray Capacity  Staple Position Staple Capacity Dimensions (Wx Dx H) Weight Booklet Finisher-J1	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit) 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight  Booklet Finisher-J1  Number of Trays	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg 2 Trays	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm) 30 sheets (80gsm)	
Staple Capacity  Dimensions (Wx Dx H) Weight  Staple Finisher-J1 Number of Trays Tray Capacity  Staple Position Staple Capacity Dimensions (Wx Dx H) Weight Booklet Finisher-J1	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit) 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg 2 Trays A4, A5, A5R	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm) 30 sheets (80gsm)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight  Booklet Finisher-J1  Number of Trays  Tray Capacity	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit  2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg  2 Trays A4, A5, A5R A3, A4R	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm) 30 sheets (80gsm)	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight  Booklet Finisher-J1  Number of Trays  Tray Capacity  Staple Position	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg 2 Trays A4, A5, A5R A3, A4R Corner, Double, Booklet stitch	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)  30 sheets (80gsm)  1300 on upper tray, 1700 on lower tray  650 on upper tray, 650 on lower tray	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight  Booklet Finisher-J1  Number of Trays  Tray Capacity	A3, A4R Corner, Double A4 A3 B65mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit) 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg 2 Trays A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4	500 sheets  50 sheets  30 sheets  th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)  1300 on upper tray, 1700 on lower tray  650 on upper tray, 650 on lower tray	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight  Booklet Finisher-J1  Number of Trays  Tray Capacity	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg 2 Trays A4, A5, A5R A3, A4R Corner, Double, Booklet stitch	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)  30 sheets (80gsm)  1300 on upper tray, 1700 on lower tray  650 on upper tray, 650 on lower tray	
Staple Capacity  Dimensions (W x D x H) Weight  Staple Finisher-J1 Number of Trays Tray Capacity  Staple Position Staple Capacity  Dimensions (W x D x H) Weight  Booklet Finisher-J1 Number of Trays  Tray Capacity  Staple Position Staple Capacity  Booklet Stitch	A3, A4R Corner, Double A4 A3 B65mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit) 2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg 2 Trays A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray 30 sheets (80gsm)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray 650 on upper tray, 650 on lower tray 650 on upper tray, 650 on lower tray	
Staple Capacity  Dimensions (W x D x H)  Weight  Staple Finisher-J1  Number of Trays  Tray Capacity  Staple Position  Staple Capacity  Dimensions (W x D x H)  Weight  Booklet Finisher-J1  Number of Trays  Tray Capacity	A3, A4R Corner, Double A4 A3 865mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit  2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg  2 Trays A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4 A3, A4R Corner, Double, Booklet stitch A4 A3, A4R	500 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)  30 sheets (80gsm)  1300 on upper tray, 1700 on lower tray  650 on upper tray, 650 on lower tray  50 sheets (80gsm)  30 sheets (80gsm)  A3, B4, and A4R	
Staple Capacity  Dimensions (W x D x H) Weight  Staple Finisher-J1 Number of Trays Tray Capacity  Staple Position Staple Capacity  Dimensions (W x D x H) Weight  Booklet Finisher-J1 Number of Trays  Tray Capacity  Staple Position Staple Capacity  Booklet Stitch	A3, A4R Corner, Double A4 A3 B65mm x 540mm x 234mm Approx. 11.5kg (Approx.13kg wit  2 Trays A4, A5, A5R A3, A4R Corner, Double A4 A3, A4R 677mm x 646mm x 1,097mm Approx. 46kg  2 Trays A4, A5, A5R A3, A4R Corner, Double, Booklet stitch A4 A3, A4R Paper Size Max Saddle Stitch Capacity	50 sheets  50 sheets 30 sheets th optional tray)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray  50 sheets (80gsm)  30 sheets (80gsm)  1300 on upper tray, 1700 on lower tray 650 on upper tray, 650 on lower tray 650 on upper tray, 650 on lower tray 650 sheets (80gsm)	

Operation KIC-22
This brochure and the specifications of the product have been developed prior to the date of product launch.
These specifications are subject to change without notice. Therefore no representations or warranties, either express or implied, are made of the fitness of this product for a particular purpose. In no circumstances shall the information in this brochure be considered part of our terms and conditions of sale. You are advise to check the prevailing specification immediately prior to purchase. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries.







Managed Document Services

iR ADVANCE Features To integrate more capabilities into your imageRUNNER ADVANCE device,

simply speak with your friendly Canon representative.









Delighting You Always

Canon Singapore Pte. Ltd.

1 HarbourFront Avenue #04-01, Keppel Bay Tower, Singapore 098632

Tel: +65-6799 8888 | Fax: +65-6799 8882 | www.canon-asia.com | www.canon.com.sq

#### **CANON SALES SUBSIDIARIES & BUSINESS PARTNERS**

**SOUTH & SOUTHEAST ASIA REGIONAL HEADQUARTERS** 

#### Afghanistan:

Megaplus Afghanistan Limited House No. 233, Street No. 4, Charagh Ali, Qilla-e-Fatehullah, Kabul, Afghanistan Tel: 93-700 228 832 / 93-700 979 511 | Fax: 93-202 201 259 Email: info@megaplus.com.af

#### Bangladesh:

Flora Limited Adamjee Court Annex-2 (4<sup>th</sup> Floor), 119-120 Motijheel Commercial Area Dhaka 1000 Bangladesh Tel: 880-2-716-2742-46 / 225 | Fax: 880-2-955-0030 | www.floralimited.com

#### Brunei:

Interhouse Company No. 5-7 Bunut Jaya Complex, Spg 574 Jalan Tutong BF1320, P.O. Box 423, Seri Complex, Bandar Seri Begawan BA 1779, Brunei Darussalam Tel: 673-2-653-001 | Fax: 673-2-653-003

Royal Cambodia Co., Ltd #437 Preah Monivong Blvd, Phnom Penh, Kingdom of Cambodia Tel: 855-23-428955 | Fax: 855-23-722961

#### Hong Kong:

Canon Hongkong Co. Ltd 19F, The Metropolis Tower, 10 Metropolis Drive, Hunghom, Hong Kong Tel: 852-3191-2388 | Fax: 852-2369-3800 | www.canon.com.hk

#### India:

Canon India Private Limited 7th Floor, Tower B, Building #5, DLF Cyber Terraces, DLF Phase-3 Gurgaon - 122002, Haryana, India Tel: 91-124-416 0000 | Fax: 91-124-416 0011 | www.canon.co.in

#### Indonesia:

PT Samafitro Jalan Ir. H Juanda No.8, Jakarta 10120, Indonesia Tel: 62-21-345 8989 | Fax: 62-21-345 6699 | www.samafitro.co.id

#### Malaysia:

Canon Marketing (Malaysia) Sdn Bhd Block D, Peremba Square, Saujana Resort Section U2, 40150 Shah Alam, Selangor Darul Ehsan, Malaysia Tel: 60-3-7844 6000 / 7845 0055 | Fax: 60-3-7844 6196 / 6198 www.canon.com.my

#### Maldives:

Simdi Company Pvt Ltd. G.Manaam Building, 2/1 Neeloafaru Magu, Male' 20-129, Maldives Tel: 960-333 4421 | Fax: 960-333 4424

#### Myanmar:

Myanmar Golden Rock International Co., Ltd #06-01, Building 8, Myanmar ICT Park, Universities' Hlaing Campus, Hlaing Township, Yangon, Myanmar. Tel: 95-1-654810 to 17 | Fax: 95-1-654820 | Email: sales@mgr.com.mm

#### Nepal:

International Electronics Concern (P) Ltd Kha 14, 1st Floor, Haratibhawan Putalisadak, Ramshah Path, Kathmandu, Nepal, P.O. Box 12588 Tel: 977-1-442 1991 | Fax: 977-1-442 1909

#### Pakistan:

Shirazi Trading Company (Pvt.) Ltd Shir Floor, Adamjee House, I.I. Chundrigar Road, Karachi 74000 Pakistan Tel: 92-21-3241 (7659), (7737) or (7746) | Fax: 92-21-(3241 7747), (3242 0417) or (3242 0418) | www.shirazitrading.com.pk

Canon Marketing (Philippines), Inc. Ground Floor Commerce and Industry Plaza. Campus Ave. Cor. Park Ave., McKinley Hill, Fort Bonifacio, Taguig City
Tel: 632-884-9000 | Fax: 632-556-1456 | www.canon.com.ph

Metropolitan Office (Pvt) Ltd 12, Magazine Road Colombo 08, Sri Lanka Tel: 94-11-470 0200 | Fax: 94-11-470 0267

#### Taiwan:

Canon Marketing (Taiwan) Co. Ltd 19F, No. 100, Sec.2 Roosevelt Road, Taipei, Taiwan, R.O.C. Tel: +886 2-6632-8888 | Fax: +886-2-6632-6700 | www.canon.com.tw

#### Thailand:

Canon Marketing (Thailand) Co. Ltd
No.98 Sathorn Square Office Tower, 21st - 24th floor,
North Sathorn Road, Silom, Bangrak, Bangkok 10500
Tel: 66-2-344 9999 | Fax: 66-2-344 9960 | www.canon.co.th

#### Vietnam:

Canon Marketing (Vietnam) Co. Ltd Level 10, President Place, 93 Nguyen Du, Dist 1, Ho Chi Minh City, Vietnam Tel: 84-8-3820 0466 | Fax: 84-8-3820 0477 | www.canon.com.vn

This document is for information purpose only and the contents are subject to change without notice. Product options, name and availability may vary by regions. Nothing in this document should be construed as a warranty. We expressly disclaim any liability or contractual obligations with respect to this document.

Canon, imageRUNNER, imageRUNNER ADVANCE, imageCHIP, RAPID Fusing System, MEAP, eMaintenance, iW, Business can be simple and get Smart get genuine are trademarks of Canon Inc. and/or its affiliates. "MEAP" is a trademark of CANON Inc., referring to an "application platform" for Canon multifunction and single function printers. Other names may be the trademarks of their respective owners.